

# New Technology for Stronger Plastic Gears

## GLEASON-K2 PLASTICS ELIMINATES WELD LINES WITH NO MACHINING

With the acquisition of K2 Plastics, Gleason is now a source for strong, quiet thermoplastic gears containing no weld-lines, with a thru-hole and no secondary machining.

“Coupling Gleason’s arsenal of non-linear contact FEA and advanced gear design software, with the latest engineered thermoplastics, Gleason-K2 Plastics’ gears are a top choice for all demanding plastic gearing applications,” says Klaus Kremmin, general manager of the Gleason-K2 Plastics division of The Gleason Works.

Weld, meld or knit lines in a molded gear are where two or more material flow fronts meet. Weld lines create a weak point in the gear, where material strength can be just a fraction of the normal material strength, particularly in fiber- or glass-filled resins. The result is that the typical 2–4 X safety factor isn’t sufficient for gears with weld lines.

“This is also why we continually see frustrated customers who had gears designed and manufactured elsewhere upset with their cracked gears,” Kremmin says. “The gears cracked at the weld line due to thermal and contact load cycling beyond the weld-line limits. As the gearing engineer, you are forced to test for weld-line strength yourself to properly select an appropriate safety factor for your design since material data sheets do not provide this information.”


Gleason-K2 plastic gears can provide optimized gear designs, verified by FEA analysis. In some cases, depending on the material, an additional 1,000 percent improvement in strength can be achieved by the elimination of the weld lines. “That is an order of magnitude improvement in plastic gear strength, which is a very significant advancement in plastic gearing,” says

Kremmin. With Gleason gear design software, an experienced gear designer can also optimize gear profiles for increased contact ratio, reduced sliding ratio and reduced bearing loads, providing strong, silent, low-wear plastic gears.

Accuracy drops one to three AGMA levels comparing gears manufactured without weld lines to gears made with them. A weld-line-free Gleason-K2 gear can measure less than 0.0010" for TCE (total composite error) and under 0.0003" for TTE (tooth to tooth error) while the ID is kept to  $\pm 0.0005$ ".

“Gleason-K2 has taken an art, reinvented the science and finally turned it into a robust, highly repeatable proprietary process vastly superior to the two approaches typically taken to address the weld-line issue,” Kremmin says.

One standard “best practice” solution to the weld-line issue is to first mold the gear with a test tool of a gear containing multiple gates centered close to




The residual stress, caused by a poor molding process, can be seen by the colored fringes inside the part.

the ID, while maintaining strict control of the appropriate pressure and temperatures. Then, the error of the resultant gear containing weld lines is accurately measured in order to construct a second tool with the negative of the first tool’s error in hopes of cancelling it out. The second tool now has negative error built into it, but still produces gears with a weld line. A second, better standard option is to disc gate the gear with a blind hole and then machine the disc gate off to achieve a thru-hole. This process, however, requires transporting the molded gear to its machining operation, precisely chucking it up to machine away the disc gate, and then de-burring it without getting any machining fines onto the electrostatically charged gear flanks.



Example of plastic gear with cracks at the weld line due to thermal and contact load cycling beyond the weld-line limits (left) and no weld lines on the right (all photos courtesy of Gleason-K2).



A complete line of strong, quiet thermoplastic gears containing no weld-lines, with a thru-hole and no secondary machining (pictured right), is offered by Gleason-K2.

“Producing perfectly clean, ‘ding free’ and accurate gears, all at an economical price, from this process is very difficult,” according to Kremmin. “We’ve found both of these solutions to be highly inferior to Gleason’s no-weld-line solution. Gleason-K2’s solution builds only one tool which molds plastic gears from any thermoplastic resin with a wide processing window without weld lines or any secondary machining. It does this while providing a gear with the least amount of residual stress of any competing gear molder.”

**Reducing the impact of residual stress.** Take a polarized lens and look at a molded part made of a clear resin. The residual stress can be seen by the colored fringes inside the part. The stress is caused by a poor molding process. Cooling the molded gear too soon or constraining it in the mold because of poorly calculated part shrinkage will induce residual stress. Residual stress is also caused by poor part geometry, gating and ejection. Kremmin says that residual stress becomes particularly apparent when a gear undergoes thermal cycling either by transport to the end user or by load cycling. The stress will want to relax, resulting in gear warpage. “I have found most molders do not consider the impact of residual stress in their parts,” Kremmin says. “They are having a hard enough time predicting shrink and achieving a part to print, let alone dealing with another layer of complexity to reduce the residual stress in their moldings. As long as their parts meet the print, they are OK to ship. I’m sure residual stress will be talked about now.”



Coordinate Measuring Machines



**Complete Coordinate Measurement Solutions from Mitutoyo**

In today’s fiercely competitive manufacturing environment a precise, durable CMM is really just a good place to start. The long term value to your investment comes from partnering with an industry leader capable of offering comprehensive metrology solutions and support. Mitutoyo starts with a complete line of CNC and Manual CMMs; feature rich, with unmatched precision and durability accomplished through decades of metrology and engineering excellence.

These machines are backed with superior warranties and service agreements, and maintained by factory trained field service engineers located throughout the country to ensure quick response to any service need. The partnership continues with comprehensive CMM software training on MCOsmos, the most versatile and easy to use CMM inspection software in the world, on-line and telephone support with access to experienced applications engineers and programmers.

Contact Mitutoyo today to see what a true metrology organization can do for you.

From left: Legex 12128, Strato-Apex, CARBApex, MACH-V9106, Crysta-Apex S, MACH-3A 633



Scan this QR code to download our corporate brochure or visit [mitutoyo.com/pdf/MAC\\_Corp\\_Brochure.pdf](http://mitutoyo.com/pdf/MAC_Corp_Brochure.pdf)

See us at the upcoming tradeshows:  
 NCSL International, Sacramento, CA  
 July 29 - Aug. 1, Booth 625  
 IMTS 2012, Chicago, IL  
 Sept. 10 - 15, Booth E-5214



Mitutoyo America Corporation  
 965 Corporate Boulevard  
 Aurora, Illinois 60502  
 1-888-MITUTOYO (1-888-648-8869)



Data Management Software by Mitutoyo

Precision is our Profession

CMM • VISION • FORM & FINISH • PRECISION TOOLS & INSTRUMENTS • DATA MANAGEMENT

**McINNES  
ROLLED RINGS**

**TWICE AS BIG,  
JUST AS FAST.**

**2-3 WEEK  
DELIVERIES**  
with materials in stock.

**CARBON,  
ALLOY &  
STAINLESS  
STEEL RINGS  
4-144" OD.**

[mcinnesrolledrings.com](http://mcinnesrolledrings.com)

## PRODUCT NEWS

The no-weld-line process works for all thermoplastic resins including unfilled elastomers, acetal, nylon, urethane and filled polycarbonate, PPS, PEEK and ultra-exotic high temperature materials with melt temperatures above 800°F and heat deflection temperatures greater than 600°F. "We can even insert-mold our gears onto metal bushings, tooth plates and hubs, still producing a gear with no weld lines and no secondary machining," Kremmin adds.

Besides gears, pulleys, encoder wheels, tooth plates, bushings, sleeves, nozzles and tubes, any molded part with a hole through it that would normally be produced with weld lines can now be made weld-line free with the proprietary Gleason-K2 process.

### For more information:

Gleason-K2 Plastics Division  
The Gleason Works  
8210 Buffalo Road  
Bergen, NY 14416  
Phone: (585) 494-2470  
[www.k2plasticsinc.com](http://www.k2plasticsinc.com)

## Large-Gear Grinding and Gear Hobbing Machines

PROVIDE HIGH-  
EFFICIENCY  
PRODUCTION  
FOR LARGE-PART  
MANUFACTURERS

There has recently been an increased demand for machining large gears for use in wind turbine gearboxes, mining equipment, and so on. And although the world economy continues to struggle, that demand is expected to continue as wind turbine generators and construction equipment recover. While most gear machines manufactured by Mitsubishi Heavy Industries

Ltd. (MHI) have been used for automotive products, the company intends to actively pursue the market for larger-gear machines in order to win more orders. Witness the large-gear grinding machine ZGA2000 and large-gear hobbing machine GEA1200 as products that provide highly efficient, highly accurate machining.

### ZGA2000 Large-Gear Grinding Machine

The ZGA2000 is a gear grinding machine capable of handling work-piece diameters up to 2,000 mm. A high machining accuracy is required during the gear grinding process. In



this process, the tooth surfaces of a gear are ground after heat treatment. For highly accurate and efficient machining, the ZGA2000 uses built-in motors for the wheel and dress spindles, and a direct-drive motor and high-stiffness hydrostatic bearing for the worktable spindle. As a result, it can reduce machining time by 20 percent, compared to the existing ZG1000 model, and it has achieved a machining accuracy compliant with

Class 1 or higher, according to the new Japanese Industrial Standards (JIS). Furthermore, to reduce downtime MHI strove to increase the speed and accuracy of the on-machine gear inspection device. MHI succeeded in reducing the travel distance from the tooth root to the tip of a contact probe during tooth profile measurement, thereby improving the efficiency with which the machine can be controlled and checked.

## GEA1200 Large-Gear Hobbing Machine

The GEA1200 is a gear hobbing machine capable of handling workpiece diameters up to 1,200 mm; it can also efficiently cut gears with a high degree of accuracy. The GEA1200 incorporates a motor with a rated output of 30 kW for the main spindle and a triple-lever clamping mechanism to enhance the hob clamping force, thereby improving stiffness of the hob head. Similar to the ZGA2000, MHI adopted a high-stiffness hydrostatic bearing for the worktable spindle and employed a double-worm backlash eliminator to enable stable heavy cutting. MHI also modeled the entire machine and used a static and dynamic stiffness analysis technique

based on three-dimensional finite element modeling (FEM) to optimize the rib layout. This provides an optimum design with a high degree of stiffness, while reducing the component weight. As a result, the GEA1200 can reduce machining time by 30 percent compared to the existing GB100, and has achieved a machining accuracy compliant with Class 5 or higher, according to new Japanese Industrial Standards (JIS).



## Future Developments

While developing these large-gear machines, MHI focused on the creation of a modular design applicable to different types of equipment, such as gear hobbing, shaping and grinding machines. MHI has adopted a basic machine structure capable of handling maximum workpiece diameters ranging from 1,200–4,000 mm, making it possible to quickly deliver a machine after an order has been placed. The large-gear grinding machine ZGA2000 and large-gear hobbing machine

GEA1200 have already been delivered to users in Japan. MHI is currently manufacturing the SEA1600—a large-gear shaping machine that handles workpiece diameters up to 1,600 mm.

## For more information:

Mitsubishi Heavy Industries America, Inc.  
46992 Liberty Drive  
Wixom, MI 48393  
Phone: (248) 669-0614  
[www.mitsubishigearcenter.com](http://www.mitsubishigearcenter.com)

From complex micro-machining to cutting exotic, difficult-to-machine materials and creating new technology, Seco partners closely with manufacturers to understand the challenges you face and develop innovative solutions to meet your needs – we call this Secovation. At IMTS 2012, bring your challenges to us in Booth W-1564 to experience the solutions that will redefine your operations.

**SECOVATION** [see-koh'-vey-shun'n]  
noun: A productivity enhancing, profitability boosting, process redefining technological innovation developed as a direct result of Seco's close relationships with its customers.

## EXPERIENCE SECOVATION AT IMTS 2012 WHERE CHALLENGE MEETS SOLUTION

SECOTOOLS.COM/US

Scan this QR code to visit our IMTS showroom.

## Dudley's Handbook of Practical Gear Design

NOW AVAILABLE IN SECOND EDITION

The revised edition of *Dudley's Handbook of Practical Gear Design and Manufacture* is now available to order. For more than 30 years, *Practical Gear Design*, later re-titled the *Handbook of Practical Gear Design*, has been the leading engineering guide and reference on the subject. The revised edition, by Johnson Control's Stephen P. Radzevich, covers the design of all types of gears involved in practical gear manufacture, applications and problem solving. The text is well-illustrated as evidenced by


the hundreds of photos and schematics that clearly illustrate designs and uses; almost 200 tables provide reference data. Selected chapters include: Gear Design Trends; Gear Types and Nomenclature; Gear Tooth Design; Preliminary Design Considerations; Design Formulas; Gear Materials; Gear Manufacturing Methods; Design of Tools to Make Gear Teeth; Kinds and Causes of Gear Failures; Special Design Problems; Gear Reactions and Mountings; Gear Vibration; Appendices; and References and Index.

Additionally, *Theory of Gearing: Kinematics, Geometry and Synthesis* is now available. This book systematically presents and develops a scientific theory of gearing, specifically for those involved in gear design, analysis, and manufacture. The author begins with a few simple postulates that form the foundation of the theory of gearing. The postulated concepts are limited just to two entities, namely to (a) rotation vectors of the driving shaft and of

the driven shaft, and to (b) torque on the driving shaft.

### For more information:

CRC Press  
6000 Broken Sound Parkway NW, Suite 300  
Boca Raton, FL 33487  
Phone: (800) 272-7737  
[www.crcpress.com](http://www.crcpress.com)



## All The Gear Cutting Tools You Will Ever Need Are Right Here DTR is one of the world's largest producers.

### DTR. Your best choice for high quality gear cutting tools.

DTR is a world class supplier of the finest high performance long-life gear manufacturing tools, for small and large gear cutting applications. Established in 1976, we are one of the world's largest producers of cutting tools, shipping to over 20 countries.

DTR offers a full line of gear cutting tools including:

- Hobs
- Carbide Hobs
- Shaper Cutters
- Milling Cutters
- Chamfering and Deburring Tools
- Broaches
- Master Gears

We can produce virtually any tool you need for auto, aerospace, wind, mining, construction and other industrial gears.

Every tool is precision-made utilizing high speed steel, premium powder metal or carbide and the latest in coatings, to achieve superior cutting and long life. DTR uses top of the line equipment including Reischauer CNC grinders and Klingelnberg CNC sharpeners and inspection equipment.

Learn more about our outstanding quality tools at [www.dragon.co.kr](http://www.dragon.co.kr).  
Call us at 847-375-8892 for your local sales representative or  
Email [alex@dragon.co.kr](mailto:alex@dragon.co.kr) for a quotation.



# DTR

PERFECTION MOVES US

(formerly Dragon Precision Tools)

[WWW.DRAGON.CO.KR](http://WWW.DRAGON.CO.KR)

**DTR has sales territories available. Call for more information.**

**U.S. Office Location (Chicago)**  
**Email inquiries to:** [alex@dragon.co.kr](mailto:alex@dragon.co.kr)  
2400 E. Devon Ave., Suite 210, Des Plaines, IL 60018  
**PHONE: 847-375-8892 Fax: 847-699-1022**

Headquarters  
36B-11L, Namdong Industrial Complex, Namdong-Gu, Incheon, Korea  
**PHONE: +82.32.814.1540**  
**FAX: +82.32.814.5381**

# Drake SHIPS STEERING WORM GRINDER TO EUROPE


Drake Manufacturing Services Co. has recently shipped a GS:TE-LM 200 Steering Worm Grinder to a European automotive parts supplier. The machine will finish grind the thread geometry on a steering worm shaft. It is equipped with Drake's Smart Spindle technology, which features an acoustic emis-



sions sensor mounted in the high-speed spindle. This sensor detects the sound of the wheel touching the part to within less than one micron. In effect, the wheel becomes a probe for the part, automatically equalizing stock on both sides of a thread groove. The result is a significant improvement in setup, quality and productivity. The GS:TE-LM 200 is also equipped with a part load verification system. The robot picks a part off the pallet and places it in a measuring fixture in the machine. Measurement sensors detect a particular feature on the part and determine if it is correctly oriented. Once verified, the part is placed in the collet and grinding begins.

## For more information:

Drake Manufacturing Services Co.  
4371 North Leavitt Road  
Warren, OH 44485  
Phone: (330) 847-7291  
Fax: (330) 847-6323  
[www.drakemfg.com](http://www.drakemfg.com)



**It's time to shift gears—by combining complex machining processes on standard machines.** Revolutionary gear-milling solutions from DMG / Mori Seiki USA enable all types of gear machining with innovative milling programs and off-the-shelf tooling—so you can slash setup times and boost profit.

## Machining is believing.™

**DMG / MORI SEIKI**



September 10-15 | Chicago  
Visit us at booth #S-8900

[www.dmgmorseikiusa.com](http://www.dmgmorseikiusa.com)  
855-364-6674

**360°**  
SUPPORT

## SKF Stroboscope FACILITATES EASY INSPECTION

The portable SKF TKRS 10 Stroboscope facilitates easy inspection of rotating or reciprocating machinery in a “flash” without stopping the machinery or otherwise interrupting operation. The device enables the motion of machinery to appear “frozen” at the position required for visual inspection and ultimately can assist in preparing for necessary maintenance in advance of planned equipment shutdown. This tool delivers an optimum solution for inspecting and monitoring the condition of fans, gears, rolls and pulleys.

The stroboscope’s phase-shift feature offers the capability to advance or retard flash timing without changing the flash rate, which allows for motion

to be “frozen” at the exact position required for inspection. A bright flash rate up to 12,500 flashes-per-minute (FPM) ideally illuminates an application at a distance to cover a wide viewing area and suit a wide range of applications. Among other features, the device’s flash rate can be adjusted easily and quickly using the variable dial rate and the required flash speed can be reached within seconds. The stroboscope benefits from a compact design for handheld operation and integrates an easy-to-read and user-friendly LCD display.

The stroboscope utilizes a rechargeable battery with long running time per charge (up to 2.5 hours) and includes a universal AC adaptor for use worldwide. The device is supplied in a carrying case for protection and portability. A mounting thread on the underside allows mounting on a tripod for stability and added ease of use. SKF also now offers the advanced TKRS 20, which includes all the features of the



TKRS 10 plus higher flash rate capabilities (300,000 FPM) and extended battery run time (12 hours).

### For more information:

SKF USA, Inc.  
890 Forty Foot Road  
Lansdale, PA 19446  
Phone: (267) 436-6000  
[www.skf.com](http://www.skf.com)





Leitz Gear Inspection. New ways of thinking.

Call it  
**a CMM**  
if you like



High precision gear inspection centers for gear diameters up to 4500mm / 177" and shaft lengths of up to 7000mm / 275".

Any type of gear.  
Any type of cutting tool.  
**And any gearbox, too!**



[www.leitz-metrology.com](http://www.leitz-metrology.com)